TRANS TECH CONSULTANTS
Environmental Compliance Services
Engineers • Geologists • Planners
License # 697833 (A-Haz)
Since 1987

February 18, 2005
Job No. 1554.02

Mr. John Griffiths
Fort Bragg Unified School District
312 South Lincoln Street
Fort Bragg, California 95437-4499

Subject: **1st Quarter 2005 Monitoring Report - Site Closure Request**
Redwood Elementary School
324 South Lincoln Street, Fort Bragg, California
NCRWQCB Case No. 1TMC117

Dear Mr. Griffiths:

This report presents the results of the 1st Quarter 2005 groundwater monitoring and sampling event performed at the subject site. The approximate site location is shown on the attached Site Location Map, Plate 1. The services were provided in accordance with directives outlined in the July 15, 2004 letter from Mr. Dan Warner of the North Coast Regional Water Quality Control Board (NCRWQCB).

Monitoring Well Sampling

On January 4, 2005, groundwater samples were collected from the monitoring well MW-4. The sampling of the irrigation well (AW-1) and the monitoring wells MW-1 through MW-3 has been discontinued. The wells and general site features are as shown on the attached Site Plan, Plate 2. Prior to sampling, groundwater levels were measured in all monitoring wells and each well was checked for the presence of free product using an oil/water interface probe. No free product was reported during this monitoring event. To produce a representative groundwater sample prior to sampling, MW-4 was then purged of three well casing volumes using a submersible pump. In addition, the indicator parameters such as the temperature, pH, and conductivity were measured during purging to ensure that fresh water was entering the well. Groundwater samples were collected using a separate disposable bailer and then transferred to the appropriate containers supplied by the laboratory. The groundwater samples collected were labeled, stored on ice, and then transported under Chain of Custody documentation to a laboratory for chemical analysis. The groundwater samples collected were submitted to Alpha Analytical Laboratories (Alpha) of Ukiah, California. The Groundwater Field Sampling Form for MW-4 is included in Appendix A. Purged groundwater and decontamination water generated during the sampling event is stored onsite in 55-gallon Department of Transportation (DOT) approved drums, pending disposal.

Water Level Measurements

Monitoring well top-of-casing (TOC) elevations, measured depths to groundwater, the calculated groundwater elevations, and the calculated groundwater flow direction and gradient for the November 12, 2003 through January 4, 2005 sampling events are tabulated on Table 1. Elevations are expressed in feet relative to mean sea level (msl). Depths are expressed in feet and gradients are expressed as feet per foot.

Table 1: Groundwater Flow Direction and Gradient

Date	Monitoring Well	TOC Elevation (feet > msl)	Water Level Depth (feet)	Water Level Elevation (feet > msl)	Groundwater Flow Direction & Gradient (i)
11/12/03*	MW-1	143.16	8.61	134.55	N 35°W i = 0.007
	MW-2	143.98	8.55	135.43	
	MW-3	143.45	8.05	135.40	
01/19/04*	MW-1	143.16	3.16	140.00	N 30°W i = 0.007
	MW-2	143.98	3.10	140.88	
	MW-3	143.45	2.65	140.80	
04/23/04	MW-1	143.16	4.55	138.61	Northwest / Southwest i = 0.005
	MW-2	143.98	4.60	139.38	
	MW-3	143.45	4.08	139.37	
	MW-4	143.16	4.00	139.16	
07/23/04	MW-1	143.16	7.90	135.26	Northwest / Southwest i = 0.006
	MW-2	143.98	7.85	136.13	
	MW-3	143.45	7.36	136.09	
	MW-4	143.16	7.35	135.81	
01/04/05	MW-1	143.16	3.17	139.99	Northwest / Southwest i = 0.003
	MW-2	143.98	3.19	140.79	
	MW-3	143.45	2.62	140.83	
	MW-4	143.16	2.62	140.54	

* = Groundwater flow direction and gradient were re-calculated with TOC elevations obtained on May 3, 2004

Groundwater elevation contours based on MW-1 through MW-4 for the January 4, 2005 monitoring event are shown on Plate 2. Based on the groundwater contours, it appears that groundwater flows

northwesterly and southwesterly toward MW-1 which forms a slight trough-like feature.

Laboratory Chemical Results

The groundwater sample collected from MW-4 was analyzed for total petroleum hydrocarbons (TPH) as diesel using Environmental Protection Agency (EPA) Test Method 8015. The volatile organic compounds: benzene, toluene, ethyl benzene, and total xylenes (BTEX) and the fuel oxygenates including methyl tert-butyl ether (MtBE) were analyzed by EPA Test Method 8260B. Chemical analysis of the samples were performed by Alpha. Alpha is a State-certified laboratory for the analyses requested. The laboratory analytical results from the October 2003 through January 4, 2005 sampling events are tabulated on Table 2. The laboratory analytical results are presented in micrograms per liter (µg/L). The laboratory chemical report including the Chain-of-Custody documentation is contained in Appendix B.

Table 2: Groundwater Sample Analytical Results

Date	Well ID	TPH as Diesel	B	T	E	X	MtBE*
		µg/L					
10/13/03	AW-1	<50	<1.0	<1.0	<1.0	<1.0	<1.0
10/22/03	MW-1	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-2	**85**	<0.30	<0.30	<0.50	<0.50	<0.50
11/12/03	MW-3	<50	<0.30	<0.30	<0.50	<0.50	<0.50
01/19/04	AW-1	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-1	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-2	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-3	<50	<0.30	<0.30	<0.50	<0.50	<0.50
4/23/04	AW-1	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-1	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-2	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-3	<50	<0.30	<0.30	<0.50	<0.50	<0.50
	MW-4	<50	<0.30	<0.30	<0.50	<0.50	<0.50
7/23/04	MW-4	<50	<0.30	<0.30	<0.50	<0.50	<0.50
1/04/05	MW-4	<50	<0.30	<0.30	<0.50	<0.50	<0.50

* = Additional oxygenated fuel additives and lead scavengers not detected above laboratory reporting limits.
<50 = Less than the laboratory indicated detection limit

Discussion

The January 2005 sampling event represents the third time MW-4 has been sampled since its installation in April 2004. The analytical results for TPH as diesel, BTEX, and the five oxygenated fuel additives for the generally down gradient monitoring wells MW-1 and MW-4 have consistently been below laboratory detection limits.

Based on the evaluation of data presented in the reports: February 27, 2004 *Sensitive Receptor Survey*, the May 28, 2004 *Summary Report of Investigation*, and cumulative monitoring event data presented herein, we respectfully request that the site be considered for case closure and that no further action be required.

We appreciate the opportunity to work with you on this project and trust that this provides the information you require at this time. If you have any questions or require any additional information, please feel free to contact us at (707) 575-8622 or www.transtechconsultants.com.

Sincerely,
TRANS TECH CONSULTANTS

Brian R. Hasik
Staff Geologist

Lee S. Hurvitz, PG 7573
Professional Geologist

QMR_1554_02_021805

Attachments:

Plate 1	Site Location Map
Plate 2	Site Plan/Groundwater Elevation Contour Map
Appendix A	Groundwater Field Sampling Forms
Appendix B	Alpha Analytical Laboratories Report dated January 18, 2005
Distribution List	



TRANS TECH CONSULTANTS
930 SHILOH RD., BLDG 44, SUITE J
WINDSOR, CA 95492
PHONE: 707-575-8622 FAX: 707-837-7334

SITE LOCATION MAP

REDWOOD ELEMENTARY SCHOOL
324 SOUTH LINCOLN STREET
FORT BRAGG, CALIFORNIA

PLATE: 1

DRAWN BY:	DWG NAME:	APPR. BY:	JOB NUMBER:	W.O. NUMBER:	REVISIONS:	DATE:
PSC	1554.02 SLM	BRH	1554.02	A-321		11/25/03



TRANS TECH CONSULTANTS
930 SHILOH RD., BLDG 44, SUITE J
WINDSOR, CA 95492
PHONE: 707-575-8622 FAX: 707-837-7334

SITE PLAN
GROUNDWATER ELEVATION CONTOUR MAP FOR 1/04/05

REDWOOD ELEMENTARY SCHOOL
324 SOUTH LINCOLN STREET
FORT BRAGG, CALIFORNIA

PLATE: 2

DRAWN BY:	DWG NAME:	APPR. BY:	JOB NUMBER:	W.O. NUMBER:	REVISIONS:	DATE:	SHEET: 1 OF 2
PSC	1554.02 GWFP	BRH	1554.02	A-673		2/1/05	

GROUNDWATER FLOW LEGEND

Estimated Groundwater Flow Direction → (A)

Gradient Contour (Interval = 0.2 ft) – – – – – –

Identifier Tag	Date	Est. Flow Direction	Gradient Slope
(A)	11/12/03	N30°W	i = 0.002
(B)	1/19/04	N20°W	i = 0.002
(C)	4/23/04	NW/SW	i = 0.005
(D)	7/23/04	NW/SW	i = 0.006
(E)	1/04/05	NW/SW	i = 0.003

Identifier Tag	Date	Est. Flow Direction	Gradient Slope

MW–1 Monitoring Well Location
[XX.XX] Groundwater Elevation

NOTE: Ground water elevations are in feet above mean sea level (National Geodetic Vertical Datum, 1929).

TRANS TECH CONSULTANTS
930 SHILOH RD., BLDG 44, SUITE J
WINDSOR, CA 95492
PHONE: 707–575–8622 FAX: 707–837–7334

SITE PLAN
GROUNDWATER ELEVATION CONTOUR MAP FOR 1/4/05

REDWOOD ELEMENTARY SCHOOL
324 SOUTH LINCOLN STREET
FORT BRAGG, CALIFORNIA

PLATE: 2

DRAWN BY:	DWG NAME:	APPR. BY:	JOB NUMBER:	W.O. NUMBER:	REVISIONS:	DATE:
PSC	1554.02 GWFP	BRH	1554.02	A–673		2/1/05

APPENDIX A

GROUNDWATER FIELD SAMPLING FORM

WELL INFORMATION

Project Number/Name:	1554.02 Redwood Elementary School	**Well Number:**	MW-4
Project Location:	324 S. Lincoln Street Fort Bragg, California	**Casing Diameter:** 2"	**Well Depth from TOC (BP):** **Well Depth from TOC (AP):** 14.9
Date: ~~December 16, 2004~~ 1/4/05		**Top of Screen:**	**Initial Well Depth:**
Sampled by (print and sign): ~~Brian Hasik~~ PAT LAMS / LEE HAWLEY		**Product Thickness in inches:**	
		Water Level from TOC: 2.62	**Time:** 140
Notes: SLIGHT PRESSURE IN WELL FAST RECHARGE DTW MW-1 - 3.17 MW-2 - 3.19 MW-3 - 2.62		**Water Level pre-purge:** 2.62	**Time:** 146
		Well Type: ☐ Monitor ☐ Extraction ☐ Other:	
		Well EL (TOC):	**Well Mat:** PVC

WEATHER

Wind: Yes / No **Rain:** Yes / No	**Clouds:** Yes / No **Fog:** Yes / No	**Sun:** Yes / No	**Precipitation in last 5 days:** Yes / No

VOLUME OF WATER TO BE REMOVER BEFORE SAMPLING

(14.9 TD - 2.62 WL) X (2 Dia. Inches)2 X 0.0408 = 2.82 gallons in one well volume

8.46 gallons in 3 well volumes (Approx. 0.6 gal/ft) _____ total gallons purged

FIELD MEASUREMENTS DURING PURGING

Stable Field Parameters Required Prior to Sample Collection <10% pH and EC change, <0.2°C temp. change

Time	Gallons	pH	TEMP °C	ORP	DO mg/L	EC mS / µS	Turbidity H/M/L
150	1	7.45	15.4	216		166.7	
151	3	7.44	15.8	216		164.5	
153	6	7.45	16.3	216		161.3	
155	9	7.45	16.4	215		160.1	

Minimum of 5 gallons or 0.6 gal/ft. Of water in casing - whichever is greater and field parameters must be stable.

Water Level Before Sampling: 2.65 **Time:** 200

Appearance of Sample: CLEAR

Bailer: Disposable **Pump:** 12V Submersible (1-2 gpm)

DECON. METHOD: TSP or Liquinox (phosphate free) Wash / Double Rinse

NUMBER OF DRUMS GENERATED: **Water:** 1 **Soil:** — **Other:**

APPENDIX B

1554.02

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

18 January 2005

Fort Bragg Unified School
Attn: Pat Lamb
312 S. Lincoln
Fort Bragg, CA 95437-4499
RE: 324 S. Lincoln
Work Order: A501177

Enclosed are the results of analyses for samples received by the laboratory on 01/06/05 17:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-4	A501177-01	Water	01/04/05 14:00	01/06/05 17:05

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

1/18/05

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

Alpha Analytical Laboratories, Inc.

	METHOD	BATCH	PREPARED	ANALYZED	DILUTION	RESULT		POL	NOTE
MW-4 (A501177-01)			**Sample Type: Water**			**Sampled: 01/04/05 14:00**			
Volatile Organic Compounds by EPA Method 8260B									
Benzene	EPA 8260B	AA51717	01/13/05	01/15/05	1	ND ug/l		0.30	
Toluene	"	"	"	"	"	ND "		0.30	
Ethylbenzene	"	"	"	"	"	ND "		0.50	
Xylenes (total)	"	"	"	"	"	ND "		0.50	
Methyl tert-butyl ether	"	"	"	"	"	ND "		0.50	
Di-isopropyl ether	"	"	"	"	"	ND "		0.50	
Ethyl tert-butyl ether	"	"	"	"	"	ND "		0.50	
Tert-amyl methyl ether	"	"	"	"	"	ND "		0.50	
Tert-butyl alcohol	"	"	"	"	"	ND "		10	
Surrogate: Bromofluorobenzene	"	"	"	"		*83.2 %*	*45-147*		
Surrogate: Dibromofluoromethane	"	"	"	"		*86.4 %*	*85-129*		
Surrogate: Toluene-d8	"	"	"	"		*87.6 %*	*74-137*		
TPH as Diesel by EPA Method 8015 Modified									
TPH as Diesel	8015DRO	AA51718	01/17/05	01/17/05	1	ND ug/l		50	
Surrogate: 1,4-Bromofluorobenzene	"	"	"	"		*82.0 %*	*20-152*		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

1/18/05

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AA51717 - EPA 5030 Water GCMS										
Blank (AA51717-BLK1)				Prepared: 01/13/05 Analyzed: 01/14/05						
Benzene	ND	0.30	ug/l							
Toluene	ND	0.30	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	0.50	"							
Di-isopropyl ether	ND	0.50	"							
Ethyl tert-butyl ether	ND	0.50	"							
Tert-amyl methyl ether	ND	0.50	"							
Tert-butyl alcohol	ND	10	"							
Surrogate: Bromofluorobenzene	*19.5*		"	*25.0*		*78.0*	*45-147*			
Surrogate: Dibromofluoromethane	*23.5*		"	*25.0*		*94.0*	*85-129*			
Surrogate: Toluene-d8	*22.1*		"	*25.0*		*88.4*	*74-137*			
LCS (AA51717-BS1)				Prepared: 01/13/05 Analyzed: 01/14/05						
Benzene	5.31	0.30	ug/l	5.00		106	79-116			
Toluene	5.76	0.30	"	5.00		115	83-120			
Ethylbenzene	5.52	0.50	"	5.00		110	81-119			
Xylenes (total)	15.3	0.50	"	15.0		102	79-121			
Methyl tert-butyl ether	5.51	0.50	"	5.00		110	73-127			
Di-isopropyl ether	5.64	0.50	"	5.07		111	69-96			QL-03
Ethyl tert-butyl ether	5.82	0.50	"	5.08		115	76-117			
Tert-amyl methyl ether	5.83	0.50	"	5.16		113	80-122			
Tert-butyl alcohol	94.2	10	"	98.2		95.9	53-132			
Surrogate: Bromofluorobenzene	*21.8*		"	*25.0*		*87.2*	*45-147*			
Surrogate: Dibromofluoromethane	*21.3*		"	*25.0*		*85.2*	*85-129*			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

1/18/05

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AA51717 - EPA 5030 Water GCMS										
LCS (AA51717-BS1)				Prepared: 01/13/05 Analyzed: 01/14/05						
Surrogate: Toluene-d8	*22.5*		"	*25.0*		*90.0*	*74-137*			
LCS Dup (AA51717-BSD1)				Prepared: 01/13/05 Analyzed: 01/14/05						
Benzene	5.08	0.30	ug/l	5.00		102	79-116	4.43	25	
Toluene	5.75	0.30	"	5.00		115	83-120	0.174	25	
Ethylbenzene	5.25	0.50	"	5.00		105	81-119	5.01	25	
Xylenes (total)	14.4	0.50	"	15.0		96.0	79-121	6.06	25	
Methyl tert-butyl ether	5.11	0.50	"	5.00		102	73-127	7.53	25	
Di-isopropyl ether	5.44	0.50	"	5.07		107	69-96	3.61	25	QL-03
Ethyl tert-butyl ether	5.52	0.50	"	5.08		109	76-117	5.29	25	
Tert-amyl methyl ether	5.60	0.50	"	5.16		109	80-122	4.02	25	
Tert-butyl alcohol	89.5	10	"	98.2		91.1	53-132	5.12	25	
Surrogate: Bromofluorobenzene	*21.1*		"	*25.0*		*84.4*	*45-147*			
Surrogate: Dibromofluoromethane	*21.2*		"	*25.0*		*84.8*	*85-129*			S-GC
Surrogate: Toluene-d8	*22.5*		"	*25.0*		*90.0*	*74-137*			
Matrix Spike (AA51717-MS1)	**Source: A501151-01**			Prepared: 01/13/05 Analyzed: 01/14/05						
Benzene	5.16	0.30	ug/l	5.00	ND	103	63-144			
Toluene	5.37	0.30	"	5.00	ND	107	65-145			
Ethylbenzene	5.30	0.50	"	5.00	ND	106	57-155			
Xylenes (total)	15.1	0.50	"	15.0	ND	101	59-149			
Methyl tert-butyl ether	5.09	0.50	"	5.00	ND	102	62-156			
Di-isopropyl ether	5.27	0.50	"	5.07	ND	104	58-115			
Ethyl tert-butyl ether	5.54	0.50	"	5.08	ND	109	57-147			
Tert-amyl methyl ether	5.26	0.50	"	5.16	ND	102	53-153			
Tert-butyl alcohol	101	10	"	98.2	ND	103	41-147			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

1/18/05

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AA51717 - EPA 5030 Water GCMS										
Matrix Spike (AA51717-MS1)	**Source: A501151-01**			Prepared: 01/13/05 Analyzed: 01/14/05						
Surrogate: Bromofluorobenzene	*22.1*		"	*25.0*		*88.4*	*45-147*			
Surrogate: Dibromofluoromethane	*21.6*		"	*25.0*		*86.4*	*85-129*			
Surrogate: Toluene-d8	*21.9*		"	*25.0*		*87.6*	*74-137*			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

1/18/05

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

TPH as Diesel by EPA Method 8015 Modified - Quality Control

Analyte(s)	Result	PQL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AA51718 - EPA 3510B Water										
Blank (AA51718-BLK1)				Prepared & Analyzed: 01/17/05						
TPH as Diesel	ND	50	ug/l							
Surrogate: 1,4-Bromofluorobenzene	*303*		"	*427*		*71.0*	*20-152*			
LCS (AA51718-BS1)				Prepared & Analyzed: 01/17/05						
TPH as Diesel	1630	50	ug/l	1960		83.2	57-136			
Surrogate: 1,4-Bromofluorobenzene	*368*		"	*427*		*86.2*	*20-152*			
LCS Dup (AA51718-BSD1)				Prepared & Analyzed: 01/17/05						
TPH as Diesel	1520	50	ug/l	1960		77.6	57-136	6.98	25	
Surrogate: 1,4-Bromofluorobenzene	*391*		"	*427*		*91.6*	*20-152*			

Lisa Jansen

Lisa E. Jansen For Sheri L. Speaks
Project Manager

1/18/05

Alpha Analytical Laboratories Inc.
208 Mason St. Ukiah, California 95482
e-mail: clientservices@alpha-labs.com • Phone: (707) 468-0401 • Fax: (707) 468-5267

CHEMICAL EXAMINATION REPORT

Fort Bragg Unified School
312 S. Lincoln
Fort Bragg, CA 95437-4499
Attn: Pat Lamb

Report Date: 01/18/05 12:55
Project No: 1554.02
Project ID: 324 S. Lincoln

Order Number	Receipt Date/Time	Client Code	Client PO/Reference
A501177	01/06/2005 17:05	TTCFBUS	

Notes and Definitions

S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogates.
QL-03	Although the LCS/LCSD recovery for this analyte is outside of in-house developed control limits, it is within the EPA recommended range of 70-130%.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
PQL	Practical Quantitation Limit

WORK ORDER
CHAIN OF CUSTODY RECORD

Alpha Analytical Laboratories Inc. • 208 Mason Street, Ukiah, CA 95482 • (707) 468-0401 • FAX (707) 468-5267

DATE 12/ /04 PAGE 1 OF 1

CLIENT'S NAME: Ft. Bragg Unified School Dist	PROJECT MANAGER: Pat Lamb
STREET ADDRESS: 312 S. Lincoln St. CITY: Ft. Bragg STATE: CA ZIP: 95437	PHONE NUMBER: 575-8622
PROJECT NAME: 324 S. Lincoln - Redwood Elem. School	FAX NUMBER: 937-7334
CONTRACT/PURCHASE ORDER/QUOTE NUMBER: 1554-02	SITE CONTACT:
SIGNATURE OF PERSON AUTHORIZING WORK UNDER TERMS STATED ON REVERSE SIDE OF THIS FORM: B-H	SAMPLED BY: Brian Hasik Pat Lamb

ANALYSES: TPH-diesel 5030/5; BTEX 5030/5

SAMPLE CONDITION ON RECEIPT:

COLD/ICED? 2.0

BUBBLES OR AIR SPACE? _____

WERE SAMPLES PRESERVED? _____

SAMPLE NUMBER/IDENTIFICATION	DATE	TIME	LAB SAMPLE NUMBER	SAMPLE TYPE: LIQ	AIR	SOLID	COMP	GRAB	NO. OF CONTS.	EXPLAIN IRREGULARITIES BELOW
MW-4	1/4/05	2DD	A501177-01	X				X	6	

Geotracker
T0604500102

RELINQUISHED BY: (SIGNATURE)	RECEIVED BY: (SIGNATURE)	DATE 1/6/05	TIME 1235
RELINQUISHED BY: (SIGNATURE) 1705	RECEIVED BY: (SIGNATURE)	DATE 1/6/05	TIME 1705
RELINQUISHED BY: (SIGNATURE)	RECEIVED FOR LABORATORY BY:	SAMPLE CONTROL OFFICER	
METHOD OF SHIPMENT	AUTHORIZED BY:		

TURN AROUND TIME REQUESTED

SPECIAL INSTRUCTIONS

DRIVING TIME	SITE TIME	TOTAL TIME

SAMPLE DESPOSITION:

1. STORAGE TIME REQUESTED _____ DAYS (SAMPLES WILL BE STORED FOR 30 DAYS WITHOUT ADDITIONAL CHARGES: THEREAFTER STORAGE CHARGES WILL BE BILLED AT THE PUBLISHED RATES.)
2. SAMPLE TO BE RETURNED TO CLIENT? ☐ YES ☐ NO

HAZARDOUS MATERIALS ARE THE PROPERTY OF THE CLIENT. THE CLIENT IS RESPONSIBLE FOR PROPER DISPOSAL OF HAZARDOUS WASTES. CLIENTS NOT PICKING UP HAZARDOUS WASTES MAY BE ASSESSED AN APPROPRIATE FEE.

DISTRIBUTION LIST

1st Quarter 2005 Monitoring Report

Job No. 1554.02
February 18, 2005

Redwood Elementary School
324 South Lincoln Street
Fort Bragg, California

Mr. Dan Warner
North Coast Regional Water
Quality Control Board
5550 Skylane Boulevard, Suite A
Santa Rosa, California 95403